


# ***FIELD ARTILLERY***

**6**  
**SERIES**

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

# ARTILLERY, MINE, AND DEMOLITION NOISE SIMULATOR

DVC 06-19C

NSN 6920-01-120-3405



**TRAINING CATEGORY/LEVEL:**  
Artillery/Level 3

**EQUIPMENT REQUIRED,  
SUPPLIED:**

12V Battery

**SPECIAL INSTALLATION  
REQUIREMENTS:**

Two pits approximately  
48" deep, 48" wide, and  
48" long are required.

**SOURCE AND METHOD OF TRAINING:**  
Available at local TSC

One pit used for the  
explosion chamber. The  
other pit is for the oxygen

**PURPOSE OF TRAINER**

To provide realistic simulation of  
common battle noises.

and propane cylinders  
and timing assembly. The  
pits should be separated

at least one foot of  
earth and reinforced by

4" x 4" corner posts with  
2" x 6" side boards to  
prevent the walls from

collapsing due to the  
shock explosion and when  
the device detonated.

**PHYSICAL INFORMATION:**

Firing Chamber Assembly:  
24" x 24" x 32 1/2" high.

Timing Box: 18" x 13" x 5 1/2" high.

Total Weight: 125 lbs.

**PERFORMANCE:**

NOISE GRADE P...

Installation and

Maintenance...

# TRAINING SET, FIRE OBSERVATION

DVC 06-61A

NSN – Not Assigned



**TRAINING CATEGORY/LEVEL UTILIZED:**

Field Artillery/Level 3

**EQUIPMENT REQUIRED,  
SUPPLIED:**

Per Local Requirements

**SOURCE AND METHOD OF OBTAINING:**

Available at the local TSC

**SPECIAL INSTALLATION  
REQUIREMENTS:**

Per Local Requirements

**PURPOSE OF TRAINER**

To Provide sustainment training at reserve center and armories. Training benefits in map reading, fire planning, and other forward observer procedures will also be realized.

**POWER REQUIREMENTS:**

110/120 AC

**PUBLICATIONS:**

None

**PHYSICAL INFORMATION:**

N/A

## **SURVEY WITNESS STAKE, AND SURVEY HUB STAKE**

**FHTD 6-8-1 (L)**

**FHTD 6-8-2 (L)**

**FHTD 6-8-5 (L)**



**TRAINING CATEGORY/LEVEL UTILIZED:**

**Field Artillery/Level 1, 2**

**EQUIPMENT REQUIRED,  
NOT SUPPLIED:**

**None**

**SOURCE AND METHOD OF OBTAINING:**

**Available at local TSC**

**SPECIAL INSTALLATION  
REQUIREMENTS:**

**None**

**PURPOSE OF TRAINER:**

**Used to mark survey location for  
artillery fire.**

**POWER REQUIREMENTS:**

**None**

**PHYSICAL INFORMATION:**

**Wood construction:**

**TD 6-8-1 (L) - 1 1/2" x 2'**

**TD 6-8-2 (L) - 3/4" x 6"**

**TD 6-8-5 (L) - 1 1/2" X 3'**

**PUBLICATIONS:**

**None**